



Raffi Wolf[®]

60⁺ YEARS SERVICE TO THE
NATION



Power Tools | Farm Equipment | Air Tools | Welding Equipment | Motors
Accessories

About Ralli Wolf

Ralli Wolf being the pioneer of Power tools manufacturing in India, started the journey more than 60 years ago in collaboration with Wolf UK. Today, after more than six decades, Ralli Wolf continues its unwavering commitment to provide comprehensive solutions to its customers across various segments, including Power Tools, Farm Equipment, Air Tools, Welding Equipment, Motors and Accessories.

The manufacturing takes place in a state-of-the-art factory located in Ahmednagar, Maharashtra India equipped with sophisticated technology and a highly experienced engineering team.

The company's primary focus is on excelling thigh innovation, design, technology, and implementation. Ralli Wolf boasts a pan-India presence and is represented through 30 locations by its dedicated sales and service team.



CORDLESS

Ratti Wolf

12V CORDLESS DRIVER DRILL RCD12V



12V, 10mm/15mm
0-400/0-1450r/min, 25Nm,
2 x 1500Mah Battery with charger , 0.8 kg.



21V CORDLESS DRIVER DRILL RCD21V



21V, 10mm/15mm
0-400/0-1450r/min, 30Nm,
2x1500Mah Battery with charger , 1.1 kg.



21V CORDLESS IMPACT WRENCH RIW21V



21V, Applicable Bolt
Dia- M10-M32
2060rpm, T orque -380N.m,
2x 4000Mah battery with charger ,
1.62kg with battery



BRUSHLESS ANGLE GRINDER RCG100



NEW

21V, 48/35 high performing brushless motor
5000-9000 rpm, Disc Diameter 100mm
2pc x 21v 4.0Ah battery
1pc 3.0Ah Charger , 5.15 kg

21V BRUSHLESS ANGLE GRINDER RCG125



NEW

21V, 5000-9000RPM
Dia 125mm, Battery Capacity 4AH
Spindle thread M14
Motor 48/35N, 5.15kg

12V LI-ION CORDLESS AIR INFLATOR RCAI-150



NEW

Voltage-11.1V, LED light-SOS-
LED, Cylinder Dia-19mm
Battery-1800mAh x 3 pcs
Air Flow-20L/min
Max Pressure-150PSI
Inflate Time-about 7min
(195 55/R15), Size-68x5x16cm

2-IN-1 JUMP STARTER & TYRE INFLATOR RJS-8000

NEW

Battery Voltage-14.8V
Capacity-8000mAh (4x2000mAh)
Air Pressure - 0.2-10.3 Bar/3-150Psi
Air hose - 30cm
Cylinder Diameter-Φ19mm
USB Charging Cable length-1.0m



8KPA CORDLESS VACUUM CLEANER RCVC-12FA

NEW

Voltage-11.1/12V , Li ion (In-Built),
Power-90W, Charging Time-4-5hrs
Batteries-2000mAh x 3 pcs
Suction power - 8 kpa,
High Speed-13-15Mins
Dust Cup Capacity - 0.45L



ELECTRIC POWER TOOLS

DRILL

COMPACT DRILL 12110 10mm

235V - 50HZ



550 Watts, 0-2500 r .p.m.,
Variable / Reversible, 1.9 kg.



PLAIN DRILL RD10 10mm

235V - 50HZ



500 Watts, Variable & Reversible,
0-2800 r .p.m., 1.3 kg.



ROTARY DRILL RW10 10mm

235V - 50HZ



650 Watts, 1250 r .p.m.,
1.7 kg. (Supply is without chuck)



SCREW DRIVER DRILL RWSD10 10mm

235V - 50HZ



400W, 0-750r/min,
1.7Amps, 20+1, 1.3 kg



IMPACT DRILL RW13 13mm

235V - 50HZ



650 W Watts, 1800 r .p.m., 2 kg.
Also suitable for skirt polisher.



IMPACT DRILL 16130 13mm 18130 13mm

235V - 50HZ



600 W Watts, 0-2650 r .p.m.,
Variable & Reversible, 1.8 kg.
700 W Watts, 0-2800 r .p.m.,
Variable & Reversible, 2 kg.



IMPACT DRIVER RID6



230V 50Hz, 230W, 6.35mm
0-3600 RPM, 0-3200 IPM
100N.m, 1Amps., Double insulated
1.3kg

PROFESSIONAL IMPACT DRILL KIT RDK13 13mm

235V - 50Hz

Variable & Reversible,
500 Watts, 0-3000 r.p.m.
0-48000 BPM, 4 kg.
BMC Packing



PROFESSIONAL IMPACT WRENCH RW300-I



450W, 2600r.p.m.
300N.m, 1/2" 2 Amps, 3.3 kg.



DIE GRINDER RDG25 6mm

235V / 115V - 50Hz

6mm (collet), 420 Watts
25000 r.p.m., 1.9 kg.



DIE GRINDER

DIE GRINDER RDG600 6mm

235V - 50Hz

6mm (collet), 550 Watts
27000 r.p.m., 1.5 kg.



LIGHT DUTY ANGLE GRINDER 25100 100mm

235V - 50Hz

ø100xø16x5.5mm, 800 Watts
M10, 11000 r.p.m., 1.6 kg.



ANGLE GRINDER RG8-100 100mm

235V / 115V-50Hz

ø100xø16x6mm, 850 Watts,
M10, 11000 r.p.m., 1.7 kg.



ANGLE GRINDER RF9-100 100mm

235V

ø100xø16x5.5mm, 900 Watts,
M10, 11000 r.p.m., 3.6A, 1.7 kg.



ANGLE GRINDER RG6-100 100mm

235V

ø100xø16x5.5mm, 750 Watts,
M10, 11000 r.p.m., 3.2A, 1.5 kg.



ANGLE GRINDER AG100 100mm

235V / 115V - 50Hz

ø100xø16x6mm, 1020 Watts,
M10, 11000 r.p.m., 2 kg.



ANGLE GRINDER 45100 100mm 45125H 125mm

235V - 50Hz

ø100xø16x5mm, 850 Watts
M10, 11000 r.p.m., 1.6kg.
ø125xø22.23x6mm, 850 Watts
M14, 11000 r.p.m., 1.8 kg.



LIGHT DUTY ANGLE GRINDER AG125 125mm

235V AC - 50Hz

ø125xø22x6mm, 1020 Watts
M14, 10500 r.p.m., 4.8A, 2 kg.



ANGLE GRINDER 60145 125mm

235V - 50Hz

Electronic overload protection, Soft start feature,
1400W, 3000-11000r/min, 22.2mm,
M14, 7.6Amps., 2.2 kg



LIGHT DUTY ANGLE GRINDER 35135 125mm

235V / 115V-50Hz

ø125xø22x5.5mm, 1350 Watts
M14, 9000 r.p.m., 3.1 kg.



ANGLE GRINDER

Raifor Wolf

ANGLE GRINDER 55145 125mm

235V / 115V-50Hz



ø125xø22.0x5.5mm, 1400 Watts,
M14, 10000 r.p.m., 3.2 kg



ANGLE GRINDER AG180 180mm / AG230 230mm

235V - 50Hz



ø180xø22x5.5mm / ø230xø22x5.5mm,
m14, 2400 Watts, 8500 r.p.m. /
6800 r.p.m., 5.1 kg.



ANGLE GRINDER 22180 180mm

235V - 50Hz



ø180xø22x5.5mm, 2200 W
M14, 8500 r.p.m., 4.62 kg.



ANGLE GRINDER 55180 180mm

235V - 50Hz



ø180xø22x5.5 mm, 2200 Watts
M14, 8400 r.p.m., 5.1 kg.



ANGLE GRINDER 77180 180mm / 77230 230mm

235V - 50Hz



ø180xø22x5.5 mm / ø230xø22x5.5 mm, M14
2500 Watts, 8200 r.p.m. / 6500 r.p.m., 5.4 kg.

ANGLE GRINDER 77180M 180mm / 77230M 230mm

220V / 235V



ø180xø22x5.5 mm/ø230xø22x5.5 mm, M14
2500 W, 8000 r.p.m./6500 r.p.m., 5.9 kg.



ANGLE GRINDER RG7-30 180mm

230V AC



NEW

HIGH WATTAGE

ø180xø22x5.5 mm, M14, 3000 Watts,
13Amps, 8500 r.p.m., 6.2 kg.
Motor with dust protection,
Restart Protection, Soft Start feature

ANGLE GRINDER RG9-30 230mm

230V AC



NEW

HIGH WATTAGE

ø230xø22x5.5 mm, M14, 3000 Watts,
13Amps, 6500 r.p.m., 6.2 kg.
Motor with dust protection,
Restart Protection, Soft Start feature

CONSTRUCTION TOOLS

PROFESSIONAL ROTARY HAMMER RW22H 22mm RW22-3M 22mm

235VAC - 50Hz



650W, 0-850 RPM, 0-3900 BPM,
1.5J, 22mm, 2.9Amps., 2.7 kg.
800W, 0-1400 RPM, 0-4400 BPM,
2.2 J, 22mm, 2.6 Amps., 2.5kg



PROFESSIONAL ROTARY HAMMER RW26H 26mm, SDS Plus

235VAC - 50Hz



800W, 3.4Amps
0-4900 BPM, 3J
Variable & Reversible
0-1100 /min, 3.1kg.



PROFESSIONAL ROTARY HAMMER RW2-32H 32mm

235V AC



NEW

Impact Joules-6.0J,
Watt Inputs-1150W
Speed-900rpm, Current-4.89Amps,
Net Weight-4.5kg.

DEMOLITION HAMMER RW-5EH 5kg

235VAC - 50Hz



1200 Watts, 1400 BPM
4100 / min-1, 10J, 6.07 kg.



DEMOLITION HAMMER RW11EH 11kg RW15H 15kg

235VAC - 50Hz



1500 Watts, 1300 BPM
120-250 / min, 6-25J, 11kg.
1500W, 1850 BPM, 45 J, 6.38A, 15kg

DEMOLITION HAMMER RW11H 11kg

235VAC - 50Hz



1500 Watts, 900-1900 BPM
120-250 / min, 35J, 11kg.

NEW

CONSTRUCTION TOOLS

Raif Wolf

CONCRETE VIBRATOR RWCV35

235V



850W, 4000 r.p.m., 35mm,
1.5M, 3.7 Amps, 2 kg.



CONCRETE VIBRATOR RWCV35-3

235V - 50HZ



1100W, 4400r/min, 35mm,
3M, 5Amps., Double insulated, 2.4 kg



ELECTRIC MIXER RPM16 120mm

235V - 50HZ



1000W, 1000r/min,
M12, 4.5Amps., 3.5 kg



850W DRYWALL SANDER RWS180

230V 50HZ

850W, 900-2100 RPM
Double insulated
180mm, 3.7Amps., 2.7kg



NEW

DIAMOND CORE DRILL

WALL CHASER RWC133 133mm

230V - 50HZ

2700W, 6200 RPM,
133mm, 42mm, 41mm,
11.7Amps., 6.2kg



NEW

DIAMOND CORE DRILL RDD110

12-110mm, 230V,
2080W, Variable Speed,
0-2100 r.p.m.



MITER SAW

DIAMOND CORE DRILL RDD200 / RDD250

15-205mm, 230V,
3900W, 580 r.p.m.

220V AC, 4250W, 255mm,
560rpm, 900mm, 95*35*23cm,
20.5/24kgs



255MM MITER SAW RMS255

235V - 50Hz

Dia of cutting blade-255mm
Rated Input Power2200W
No Load Speed-5000r/min
Base Size-47x30cm, 12.3kg.



NEW

CHOP SAW

RW14E 355mm

235V / 115V - 50Hz

355 mm, 2300 Watts
3900 r.p.m., 17.2 kg.



CUT-OFF SAW RC14D

235V - 50Hz

D handle and soft start
355 mm, 2600 Watts
3900 r.p.m., 11A, 18 kg.



MARBLE CUTTER

MARBLE CUTTER RW4-SB 110mm

235V - 50Hz

1200W, 11000 r.p.m., 12000N,
8Amps.Max hole Dia-38mm
Max drill Depth-50mm, Max twist drill -13mm,
Grounding (to earth), 3kg.



MARBLE CUTTER RC4HD 110mm

230V

1200 Watts, Max Cutting Depth 34mm,
11000 r.p.m., 5.2 Amps, 2.9 kg.



MARBLE CUTTER RW125N-FB 125mm/ RW125N-TB 125mm/

235V AC - 50Hz

1300 Watts, Speed-13000 rp.m.,
Current-5.5 Amps, Weight- 3.42 kg.
Light weight & easy to use, Latest technology
Sturdy / Rugged Construction, Portable.



NEW



MARBLE CUTTER RW125-FB 125mm / RW125-TB 125mm

235V AC - 50Hz

1300 Watts, 13000 r.p.m., 3.4 kg.
Options: Fixed / Tilted type base plate



WOOD WORKING

Raith Wolf

CIRCULAR SAW RS180 NEW 185mm

235V - 50Hz

1400 Watts, 5600 r.p.m., 4.3kg



PLANER RP500

235V - 50Hz

Capacity-82mm X 2mm
Watts input (full load)-500 Watts
No-load speed-17000 rp.m.
Approx Weight-2.35 kg.



ROUTER RW-RT12 12mm

235V / 115V

1800Watts, 23000 r.p.m.
4.1 kg.



TRIMMER

RT6 6mm / 6.35mm
RT60 6mm / 6.35mm

235V - 50Hz
600W, 30000 RPM
6mm/6.35mm, 2.6Amps., 1.9kg
220V 50Hz, 500W, 30000 RPM,
6mm/6.35mm, 2Amps., 1.7kg



NEW



HEAT GUN

JIG SAW RJS60 60mm

235V AC- 50HZ

600W, 26mm (1 $\frac{1}{8}$),
500-3000 spm
2.55A, 2.5kg



HEAT GUN RG2100 2000W

235V - 50Hz

2000W, 8.5 A
1-2, 1- 350°C / 2-550°C, 0.6 kg



BLOWER

HEAT GUN RHG1600 1600W

235V AC - 50Hz

1600W, 8.5Amps.,
Switch - On and Of,
1-350°C / 2-550°C, 0.5 kg.



ELECTRIC BLOWER RB500

235V AC

3.8 m/min, 600 Watts, 2.55A
6000-16000 r.p.m., 1.8 kg.



ELECTRIC BLOWER RB60V

235V AC

3.8 m/min, 600 Watts, 2.55A
6000-16000 r.p.m., 1.8 kg.



ELECTRIC BLOWER RB500PRO

235V AC

3.8 m/min, 600 Watts, 2.55A
16000 r.p.m., 1.6 kg.



PRESSURE WASHER

ELECTRIC BLOWER RB50-S

235V AC

3.2 m/min, 530 Watts, 2.25A
15000 r.p.m., 1.8kg.



1600W INDUSTRIAL QUALITY HIGH PRESSURE WASHER RHP130

Adjustable
Gun
6M Steel
Pipe
Cleaning Needle
Inlet pipe
Quick connector
Soap
Bottle

Induction Motor 130 Bar, 480 L/H
230V AC, 1600W, 12 kg.



VACUUM CLEANER

VACUUM CLEANER RVC12L WET & DRY

220-240V~ 50/60Hz

Power-1200W,
Single Motor (Cooper Motor),
Tank Capacity-12L
Vacuity $\geq$ 18KPA

NEW



CAR POLISHER

180mm CAR POLISHER RCP180

230V 50HZ

1400W, 180mm,
600-3000 RPM
M14, 6.1Amps., 3kg



NEW

AIR COMPRESSORS

Raif Wolf

30Ltr AIR COMPRESSOR RC30-OF

Capacity-167L/min,
Air Flow-100L/min, 220V/50Hz
Rated Power-2Hp/1500W
Tank-30L, Lubrication- Oil Free,
Speed-2850rpm,
Max pressure-8bar/115psi
Net. Weight-21.5kg.



NEW

50Ltr AIR COMPRESSOR RC50

Capacity-135L/min
Voltage-220V/50Hz
Rated Power-2.5Hp/2000W
Tank-50L, Lubrication- Oil,
Speed-2850rpm,
Cylinder-42mm/100p
Max Pressure-8bar/115psi
Net. Weight-22.8kg.



NEW

MAGNETIC CORE DRILL

MAGNETIC CORE DRILL YUVA40

40mmx50mm

235V

1150Watts, 19mm
10,000N, 220-240V
50-60Hz, 12-40mm
Upto 13mm, 750rpm, 10 kg.



MAGNETIC CORE DRILL COMMANDO 40S

40mmx50mm

230V

40mm diax50mm depth,
1100 Watts, 270-610 r.p.m.,
8000N, 165x80x45mm, 13.7 kg.



MAGNETIC CORE DRILL MEGA42

42mmx50mm

220 / 230 V

1300W, 700r/min, 12000N,
8Amps, 42mm dia x 50mm depth
13mm, Grounding (to earth), 13 kg



MAGNETIC CORE DRILL MEGA - 50

50mmx50mm

220V V-50~60Hz

Max Core Drill Dia-50mm
Max Twist Drill Dia-23mm
Cutting Depth - 50mm,
1400 Watts, 100-470 r.p.m.,
16500N, Moser Taper - MT2
Stroke - 210mm, 17 kg.



NEW



MAGNETIC CORE DRILL COMMANDO 50

50mmx50mm

235V

50mm Dia x 50mm depth,
1500 Watts, 100-265 r.p.m.,
200-500 r.p.m., 13500 N,
200mmx98mm, 15.8 kg.



PERMANENT MAGNET CORE CUTTING DRILL COMMANDO 50PM

235V

50mm dia x 50mm depth,
1500 Watts, 100-265 RPM,
200-500 RPM, 8430 N
2770mm x 190mm
110V/18kg / 230V/17.7kg



LOW PROFILE MAGNETIC DRILL 50mm COMMANDO 50LP

235V


50mmX 50mm, 30mm*
250-500RPM, 1200W, 10000N
L-334mm, H-179mm, W-100mm
192mm x 82mm, 11kg, 62mm



MAGNETIC CORE DRILL NW 50S 50mmx50mm

235V

50mm dia x 50mm depth
1600 Watts, 450 r.p.m., 1500 KGF,
200mmx100mm, 31 kg.



MAGNETIC CORE DRILL COMMANDO 75

75mmx75mm

235V

75mm dia x 75mm depth
1800 Watts, 70-180 r.p.m.,
200-500 r.p.m., 18500 N,
220mmx114mm, 22.8 kg.



MAGNETIC CORE DRILL MEGA - 80

80mmx80mm

220V

Max Core Drill Dia-80mm
Max Twist Drill Dia-28mm
100-510 RPM
Max Attraction-16700N
Cutting Depth -50mm
Stroke-220mm, 1950W, 18kg



NEW



MAGNETIC CORE DRILL COMMANDO 100 (NEW)

100mmx100mm

235V

100mm dia x 100mm depth
2000 Watts, 45-129 r.p.m.,
70-208 r.p.m., 140-434 r.p.m.,
240-700 r.p.m., 20000 N,
228mmx114mm, 24.8 kg.



MULTIFUNCTION MAGNETIC DRILL MEGA-150

150mmx150mm

235V

150mm, 57mm, M50
3080W, 40-100rpm(1),
70-180rpm(2), 180-450rpm(3),
290-720rpm (4), 24500N, 32Kg.



LIGHT DUTY DRILL

EG2C 6mm /
EJ3C 10mm

235V / 115V -50Hz

6mm / 10mm, 235 Watts,
2800 r.p.m. / 700 r.p.m., 2 kg. / 2.3 kg.


HEAVY DUTY DRILL

WD2C 6mm /
WD3C 10mm /
WD34C 13mm

235V / 115V -50Hz

6mm / 10mm / 13mm, 475 Watts / 550 Watts /
500 Watts, 2400 r.p.m. / 1000 r.p.m. / 550 rpm,
3.1 kg. / 3.6 kg / 3.9 kg


LIGHT DUTY DRILL

SD4C 13mm

235V / 115V -50Hz

13mm, 435 Watts
700 r.p.m., 4.4 kg.


HEAVY DUTY DRILL

14130 13mm

235V / 115V -50Hz

750 Watts, 750 r.p.m., 4.4 kg.


TWO SPEED DRILL

TS35C 10mm/16mm

235V / 115V -50Hz

10mm /16mm, 600 Watts
1380 r.p.m. / 560 r.p.m., 5.4 kg.


HEAVY DUTY DRILL

WDH / WDH12
13mm to 23mm

235V / 115V -50Hz

13mm to 23mm, 595/1200 Watts
560 r.p.m./450 r.p.m., 7 kg / 7.2 kg.


HEAVY DUTY DRILL

WDHC / WDHC12 20mm
(Chuck Model)

235V-50Hz

20mm, 595 Watts/1200 Watts
560 r.p.m./ 450 r.p.m., 8.2 kg./ 8.4 kg


HEAVY DUTY DRILL

NW8 25mm /
NW10 31mm

235V -50Hz

25mm/31mm, 660 Watts/850 Watts
380 r.p.m./280 r.p.m., 9.9 kg / 10 kg.


HIGH SPEED GRINDER

HSG / HSG BR 6mm

235V / 115V-50Hz

6mm (collet), 300 Watts/500 Watts
16000 r.p.m./20000 r.p.m., 1.9 kg


FLEXIBLE SHAFT GRINDER

FF2 Two Speed /
FSG2 Single Speed

235V / 115V-50Hz

6mm (collet), 370 Watts
1200/11500 r.p.m./
12800 r.p.m., 5.4 kg./4.9 kg


STRAIGHT GRINDER

GQ4 / GQ4 BR11

235V / 115V

ø100xø20x12.7mm, 775W / 1100W
5000 r.p.m. / 5600 r.p.m., 5.6 kg. / 6.5kg


STRAIGHT GRINDER

36100 / GQ6

235V / 115V

ø100xø20x12.7mm, 1000W, 5800 r.p.m., 5.1kg.
ø150xø25x15.9mm, 1200W, 5600 r.p.m., 9.2kg.


LATHE GRINDER

GL3 75mm

235V / 115V

ø75xø13 x19mm, 400 Watts, 8000 r.p.m.
(ext grinding) / 19000 r.p.m., (int grinding), 9.8 kg.


ANGLE GRINDER

AG7 180mm /
AG9 230mm

235V

ø180xø22x6mm / ø230xø22x6mm, 2200 Watts,
M14, 7000 r.p.m. / 5600 r.p.m., 9.5 kg.


BENCH GRINDER

TG6 1ph & 3ph

235V (1ph) / 440V (3ph)

ø150xø16x12.7 mm, 265 Watts /
285 Watts, 2950 r.p.m., 12.2 kg. / 12 kg


SINGLE SPEED AIR BLOWER

NWB

235V

1.5 m³/min, 350 Watts
308 kmph, 4.5 kg.


TWO SPEED AIR BLOWER

77750

235V

2.0 m³/min / 1.6 m³/min, 750 Watts /
450 Watts, 400 kmph / 315 kmph, 3.4 kg.


VERTICAL SANDER

VSM 180mm

235V

180mm, 500 Watts
2200 r.p.m., 5.4 kg.


HORIZONTAL SANDER

HS7AR / HS7BR 180mm

235V

180mm, 600 Watts/1000 Watts
4200 r.p.m./ 5200 r.p.m., 5.2 kg./ 5.7 kg.


PORTABLE TAPPING MACHINE

TP8 3mm-10mm

235V

3mm to 10mm, 450 Watts
550 r.p.m., 3.9kg.



GASOLINE WATER PUMP RP30 3"

6.5HP, 76mm,
7M, 28M, 3600 r.p.m.



GASOLINE EARTH AUGER ED520

Single Man Operated
1E44F 1.45KW
52CC, 6500 r.p.m.
*Drill bits Optional accessory



GASOLINE EARTH AUGER ED630

Double Man Operated
1E48F, 2.2KW,
63CC, 6500 r.p.m.
*Drill bits Optional accessory



CHAIN SAW RS63

2 stroke, single cylinder, 63cc, 2.2 kwx,
9000 r/min, 18" / 20" / 22" / 24", 5.8 kg



THERMAL FOGGER RF02 AUTO

6 Ltr., 10-50 Microns,
9 kg., 18.5 KW



THERMAL FOGGER RF01 MINI

2 Ltr., 5-30 Microns,
1.4 kg



GASOLINE BRUSH CUTTER RBC-2S (SP) (2 STROKE)

1E44F 2 Stroke,
1.45 KW, 51.7CC,
6500 r.p.m.



GASOLINE BRUSH CUTTER RBC-4S (SP) (4 STROKE)

G35 4 Stroke
0.85KW, 35.8 CC
6500 r.p.m.



BACK PACK BRUSH CUTTER RBC-4S (BP) (4 STROKE)

G35 4 Stroke,
0.85 KW, 35.8 CC,
6500 r.p.m.



** For complete range please refer separate catalogue for AGRI EQUIPMENT or visit our website.*



AIR TOOLS (PROFESSIONAL INDUSTRIAL)

Ralli Wolf

3/8" REVERSIBLE DRILL RAD302



3/8", 1800 r.p.m., 180mm
1/4", 3/8", 6 cfm, 1.1 kg

3/8" REVERSIBLE DRILL RAD402



1/2", 800 r.p.m., 203 mm
1/4", 3/8", 8 cfm, 1.6 kg

1/4" HD 90° ANGLE GRINDER ADG 1106H



1/4" or 6 mm, 20000 r.p.m.
1/4", 3.5 cfm, 160 mm, 0.49 kg

AIR DIE GRINDER PG1101H



1/4", 28000 r.p.m., 6.3 mm,
3.5 cfm, 160mm, 0.4 kg

AIR MICRO DIE GRINDER DG56



3 mm, 56000 r.p.m., 1/4",
7.0 cfm, 5 mm, 156 mm, 0.21 Kg

4" - AIR ANGLE GRINDER AG406



4" or 100mm, 11000 r.p.m., 1.4",
6 cfm, 3/8" (10mm), 242 mm, 1.82 Kg

5" - AIR ANGLE GRINDER AG449



5" (125 mm),
11000 RPM, 1/4" NPT,
4.48 cfm, M10 / M14,
225 mm, 1.75 Kg

7" - AIR ANGLE GRINDER AG-GR706



7" (180 Mm), 7000 Rpm, M14
3/8", 12 mm, 9 Cfm, 3.18 Kg

COMPOSITE IMPACT WRENCH IW0981T



3/8", 1/2"(13mm),
280FT-LB (39KG-M,
380N-M), 10000 r.p.m.
3.7 cfm, 1/4", Air Hose - 10 mm,
170 mm, 1.2 Kg

COMPOSITE IMPACT WRENCH IW-1281 - 1/2" Sq. Drive



1/2", 5/8" (16mm),
1000FT-LB, (138KG-M,
1356N-M), 10000 r.p.m.,
5.4 cfm, 1/4", 10mm,
193 mm, 2.2 Kg

1/2" - IMPACT WRENCH KIT IW1700K-A



1/2", 5/8", 600ft-lbs
7500 r.p.m., 5.4 cfm
1/4", 10 mm, 190 mm, 2.4 Kg

COMPOSITE IMPACT WRENCH IW1930T - 3/4" Sq. Drive



3/4", 19 mm, 1000ft-lbs
(1356nm), 9000 r.p.m., 5.4 cfm, 1/4"
10 mm, 200 mm, 2.2 Kg

AIR IMPACT WRENCH IW1050 - 1" Sq. Drive



1", 50mm., 3800 r.p.m
3200 N/m, 8" Long
8-12 Bars (115-175 PSI)
16.7kgs

AIR SCREW DRIVER SD5MA



5 - 7 mm, 9000 r.p.m., 25-30 N. m.,
2.0 cfm, 190mm, 0.83 Kg

DUST FREE ORBITAL SANDER OS-303



5" velcro type, 10,000 r.p.m.
1/4", 3/8", 2 cfm, 5 mm, 0.9 Kg.

DUST FREE ORBITAL SANDER OS-306



6" velcro type, 11,000 r.p.m.
1/4", 3/8", 4.75 SCGM,
6 mm, 0.9 Kg.

3/16" AIR HYDRAULIC RIVETER HR-RV-105L



2.4/3.2/4.0/4.8mm blind rivets
2,680 lbs (1219 kg)
18mm, BLIND, 90 PSI, 1.5 Kg

3/16" AIR HYDRAULIC RIVETER HR - RV- 101



2.4/3.2/4.0/4.8MM
2,680 lbs (1219 kg)
14mm, 90 PSI, 1.5 Kg

INDUSTRIAL AIR DIE GRINDER DG 6-35



6 mm, 35000 rpm,
165 mm, 1/4" NPT,
18 cfm, 0.45 Kg.

INDUSTRIAL ROLL TYPE GRINDER DGL21



6 mm, 21000 r.p.m.,
3/8" NPT, 27 cfm,
315 mm, 2.50 Kg.

PNEUMATIC STRAIGHT GRINDER SG150



150mm x 25mm
6000 r.p.m., 1/2" BSP
56 cfm, 5.5 Kg.

PNEUMATIC CHIPPING HAMMER CH3



2100 BPM, 76.2 mm (3")
1/2" BSP, 30 cfm, 7 Kg.

PNEUMATIC BENCH FLOOR SAND RAMMER BSR1 / FSR1



850/800 BPM
530/1258mm,
102/152 mm,
3/8" NPT/A 1/2" BSP,
25 CFM, 5.7Kg./11Kg

PNEUMATIC WELD FLUX CHIPPER WFC42



4200 BPM, 257 mm
25.4 mm, 1/4" NPT
22 cfm, 2 Kg.

PNEUMATIC CONCRETE BREAKER CB1210



540 mm, 1400 bpm, 48 mm,
108 mm, 19 mm, 6 bar,
25 X 108 mm, 50 CFM, 22 Kg.

PNEUMATIC CONCRETE BREAKER CB117



740 mm, 1200bpm, 57 mm
165 mm, 19 mm, 6 bar
32 X 160 mm, 75 cfm, 37 Kg.



ARC SERIES (INVERTER)

ARC 200 (R76), ARC 200 (WA20),
ARC 200 (RW20A),
ARC 200 (RA20), ARC 200 (MA20),
ARC 200 (ECO200N)

General Fabrication, Maintenance
Works



ARC SERIES (INVERTER)

ARC 250 (RA25D), ARC 250
(RA25S), ARC 250 (RA25),
ARC 250 (ECO-250), ARC 300
(RA30-1&2), ARC 300 (RA30D)

General Fabrication,
Maintenance Works



ARC SERIES (INVERTER)

ARC 400GT (RA40GT), ARC400HD+
(RA40HD+), ARC400HI (RA40HI),
ARC 400HK (RA40HK), ARC 400H
(RA40H), ARC 400 IJ (RA40),
ARC 500 IJ (RA50), ARC 600I
(RA60), ARC 630 (RA63)

Suitable for General Purpose, Low Hydrogen,
Stainless Steel Electrodes etc.



ARC SERIES (FULLY THYRISTORISED)

ARC 400 (RT400),
ARC 600 (RT600)

Suitable for General Purpose,
Low Hydrogen, Stainless
Steel Electrodes etc.



FCT SERIES

ARC 400 (FCT 400),
ARC 450 (FCT 450),
ARC 600 (FCT 600)



ENGINE DRIVEN WELDING GENERATOR

RWG-350
RWG-400 (4-CYLINDER)
RWG-500



SUBMERGE ARC WELDING

MZ 1000 (RS100),
MZ 1250 (RS125)

Pressure Vessels /
Structural Fabrications /
Ship Building / Locomotives etc.



AIR PLASMA CUTTING

CUT 80 (RC80),
CUT 100 (RC10)
CUT 160 (RC16)

General Fabrication / Constructions &
Other Engineering Industries.



MIG SERIES

MIG 200S (RM20),
MIG 250 (RM25),
MIG 400 IJ (RM40N),
MIG 500 IJ (RM50),
MIG 630 I (RM63)

General Fabrication / Pipe Welding / Construction /
Automobile / Railways / Furniture Industries etc



TIG SERIES

TIG 200 A (RT20),
TIG 200 AC/DC (RT20A)
TIG 250 A (RT25),
TIG 315P AC/DC (RT31PA)
TIG 400 IJ (RT40),
TIG 500 IJ (RT50)
TIG 630 (RT63)

Ship Building / Pipe Welding / Furniture /
Automobile Industries / Railways etc



CNC FLAME / PLASMA CUTTING MACHINE Cantilever Type

RCN 1500,
RCN 1500 P



CNC FLAME / PLASMA CUTTING MACHINE Gantry Type Flame / Plasma Cutting Machine

RWG2506
RWG3506
RWG3508
RWG4008



CNC FLAME / PLASMA CUTTING MACHINE Bench Type Plasma Cutting Machine

RWB1503
RWB1506



STUD WELDING MACHINE (DRAWN ARC TYPE)

RDA1600
RDA2500
RDA3100



LASER WELDING MACHINE

- Easy to Weld with clean
Welds and Accurate
- Portable
- Low cost of ownership
- Homogenous fusion of material



LASER MARKING MACHINE

Solar Industry, Tools & Tooling
Medical & Surgical,
Die & Mould Engraving
Kitchen Ware & Bath Fitting
Color Marking in SS Material



ACCESSORIES, STANDS & ATTACHMENT

CUT-OFF WHEEL
BROWN SERIES 14" 2 NET
355X2.8X25.4mm



Max. 4400 rpm, Max. 80m/s

14" CUT-OFF WHEEL
BLACK SERIES - 1 NET
355X2.8X25.4mm



Max. 4400 rpm, Max. 80m/s

**CHISELS FOR ROTARY HAMMERS
& DEMOLITION HAMMERS**
(FLAT AND POINTED TYPES)



TCT SAW BLADES
FOR WOOD WORKING
RWC11030 (110mm - 30T)
RWC11040 (110mm - 40T)
RWC12530 (125mm - 30T)
RWC12540 (125mm - 40T)



TCT ANNULAR CUTTER



Sizes : Dia 12mm to 100mm
in depths 35mm/50mm/
75mm/110mm

HSS ANNULAR CUTTER



Sizes : Dia 12mm to 100mm
in depths 35mm/50mm/
75mm/110mm


PILOT PIN



**MULTI-PURPOSE
MICRO FIBER CLOTH**
RMC-4060



FLEXIBLE SHAFT
10 FD SUITABLE
FOR FF2/FSG2



**3.0M LONG
HIGH EFFICIENT
VIBRATION ROD.**
FOR RW-CV35-3



**MAGNETIC STAND
HEXAGONAL BASE**
- WDH WITH MS



Suitable for Mounting
WDH / WDH C / WDH12 /
WDHC12 / NW8 / NW10

**MAGNETIC STAND
ROUND BASE**
- WDH WITH MS 10



Suitable for Mounting
WDH / WDH C / WDH12 /
WDHC12 / NW8 / NW10

**MAGNETIC STAND
RECTANGULAR BASE**
- WDH WITH MS 50



Suitable for Mounting -
WDH / WDH C / WDH12 /
WDHC12 / NW8 / NW10

**MAGNETIC STAND
HEXAGONAL BASE**
- NW10 with MS



Suitable for Mounting
NW8 / NW10

**MAGNETIC STAND
ROUND BASE**
NW10 with MS10



Suitable for Mounting
NW8 / NW10

**MAGNETIC STAND
RECTANGULAR BASE**
NW10 with MS50



Suitable for Mounting
NW8 / NW10

MECHANICAL STANDS
ES 1 For EG2C/EJ3C,
ES 3 for NW8 / NW10



ES 14 For WD2C, WD3C,
WD34C, SD4C & TS35C
ES 23 for WDH / WDH C

**INTERNAL
GRINDING
ATTACHMENT,**
IGA, SUITABLE
FOR GL3



MOTORS

UMG 5



UMG 27



PMDC 58 / 59



UM 4B



* For complete range please refer separate catalogue for MOTORS or visit our website.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



SALES NETWORK

- Ahmedabad
- Bangalore
- Baroda
- Bhopal
- Bhilai
- Chennai
- Chandigarh
- Cochin
- Coimbatore
- Cuttack
- Delhi
- Gurgaon
- Guwahati
- Hubli
- Indore
- Jaipur
- Jamshedpur
- Kolkata
- Kolhapur
- Jammu
- Ludhiana
- Lucknow
- Mumbai
- Nagpur
- Patna
- Pune
- Prayagraj
- Raipur
- Secunderabad
- Siliguri
- Trichy
- Udaipur
- Vishakhapatnam

Ralli Wolf Industries Ltd.

An ISO 9001 : 2015 Certified Organisation

Registered Office : Diamond Heritage, 5th Floor,
16 Strand Road, Kolkata- 700 001, WB

Work : G-104, MIDC Area, Ahmednagar - 414111, Maharashtra, India,
Phone : +91 2412779887 | Email : works@ralliwolf.com

Phone : 8100080353 | **Email :** customercare@ralliwolf.com
Website : ralliwolf.com

Notes :

- 110V can be made available on select models for MOQ.
- Machines with Deadman switches are available in request for certain models.
- Oil lubrication is must for all the tools before starting the operation.



Due to continuous R & D, Product supplied may differ the data contained herein.
The catalogue supercedes all earlier catalogues.



Follow us:

26/06/2025

**The Pictures and Specification are only for reference.*